



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01) दिनांक/DATE :28/12/2018 पृष्ठ /Page - 1

Due Date of Cover-I Opening : 21/01/2019 11:00:00 hrs. IST (Check NTPL eproc website for any change in due date of opening.)
Note : Quotation should be valid for 60 days from the date of opening.

Gentlemen,
 We shall be glad to receive your lowest online offer submitted through <http://eproc.ntplpower.com> for the material mentioned below, subject to our terms and conditions. Any other mode of offer will be rejected. Please indicate the enquiry number in all future correspondence. Offer details of the participating bidders will be available online after the tender is opened.

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
1	<p align="center">विनिर्देश Specification</p> <p>91 505 0013 : M 10 X 50 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td align="center">2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td align="center">3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td align="center">4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td align="center">Bulk</td> <td align="center">0 to 60</td> <td align="center">600.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	600.0000	Number	600.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	600.0000																	

2	<p align="center">विनिर्देश Specification</p> <p>91 505 0014 : M 12 X 60 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td align="center">2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td align="center">3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	Number	600.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)										
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).										
2	Bolt, Nut and washer shall be supplied in assembled condition										
3	Property class shall be mentioned on the head of the bolts										

एनटीपीएल स्टोर्स टुटिकोरिन में आपके प्रस्ताव को दरवाजा डिलीवरी आधार पर होना चाहिए।
 YOUR OFFER SHOULD BE ON DOOR DELIVERY BASIS AT NTPL STORES TUTICORIN
 निरीक्षण बंध /Inspection Clause : Inspection at Tuticorin
 गारंटी की आवश्यकताएँ /Guarantee Requirement : Bank Guarantee for Faithful Performace as per NTPL format.

Basis of Evaluation : Item-wise.

संलग्नक Terms and Conditions of Enquiry
 Attachments :



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 2

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
4	<p>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</p> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>600.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	600.0000												
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	600.0000																	
3	<p align="center">विनिर्देश Specification</p> <p>91 505 0015 : M 16 X 100 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>500.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	500.0000	Number	500.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	500.0000																	
4	<p align="center">विनिर्देश Specification</p> <p>91 505 0016 : M 18 X 100 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Number	200.0000						
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01) दिनांक/DATE :28/12/2018 पृष्ठ /Page - 3

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity
-------------------	------------------	--------------------	--------------------

वितरण अनुसूची Delivery Schedule		
Delivery Type	Period From PO Date (Days)	Quantity
Bulk	0 to 60	200.0000

परीक्षण प्रमाणपत्र Test Certificate	
Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.	

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																											
5	<table border="1"> <thead> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> </thead> <tbody> <tr> <td colspan="2">91 505 0017 : M 20 X 100 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>300.0000</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> </thead> <tbody> <tr> <td colspan="2">Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</td> </tr> </tbody> </table>	विनिर्देश Specification		91 505 0017 : M 20 X 100 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	300.0000	परीक्षण प्रमाणपत्र Test Certificate		Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.		Number	300.0000
विनिर्देश Specification																														
91 505 0017 : M 20 X 100 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8																														
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																													
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																													
2	Bolt, Nut and washer shall be supplied in assembled condition																													
3	Property class shall be mentioned on the head of the bolts																													
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																													
वितरण अनुसूची Delivery Schedule																														
Delivery Type	Period From PO Date (Days)	Quantity																												
Bulk	0 to 60	300.0000																												
परीक्षण प्रमाणपत्र Test Certificate																														
Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.																														

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																											
6	<table border="1"> <thead> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> </thead> <tbody> <tr> <td colspan="2">91 505 0018 : M 20 X 115 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>200.0000</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> </thead> <tbody> <tr> <td colspan="2">Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</td> </tr> </tbody> </table>	विनिर्देश Specification		91 505 0018 : M 20 X 115 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	200.0000	परीक्षण प्रमाणपत्र Test Certificate		Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.		Number	200.0000
विनिर्देश Specification																														
91 505 0018 : M 20 X 115 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8																														
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																													
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																													
2	Bolt, Nut and washer shall be supplied in assembled condition																													
3	Property class shall be mentioned on the head of the bolts																													
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																													
वितरण अनुसूची Delivery Schedule																														
Delivery Type	Period From PO Date (Days)	Quantity																												
Bulk	0 to 60	200.0000																												
परीक्षण प्रमाणपत्र Test Certificate																														
Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.																														



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 4

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
	<table border="1"> <tr> <td>Bulk</td> <td>0 to 60</td> <td>200.0000</td> </tr> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	Bulk	0 to 60	200.0000															
Bulk	0 to 60	200.0000																	
7	<p align="center">विनिर्देश Specification</p> <p>91 505 0019 : M 20 X 125 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>200.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	200.0000	Number	200.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	200.0000																	
8	<p align="center">विनिर्देश Specification</p> <p>91 505 0020 : M 22 X 135 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>100.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	100.0000	Number	100.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	100.0000																	

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 5

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
	Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.																		
9	<p align="center">विनिर्देश Specification</p> <p>91 505 0021 : M 24 X 140 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>400.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	400.0000	Number	400.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	400.0000																	
10	<p align="center">विनिर्देश Specification</p> <p>91 505 0022 : M 24 X 155 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>250.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	250.0000	Number	250.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	250.0000																	



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 6

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
11	<p align="center">विनिर्देश Specification</p> <p>91 505 0023 : M 26 X 140 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>100.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	100.0000	Number	100.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	100.0000																	
12	<p align="center">विनिर्देश Specification</p> <p>91 505 0024 : M 26 X 160 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>100.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	100.0000	Number	100.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	100.0000																	
13	<p align="center">विनिर्देश Specification</p> <p>91 505 0025 : M 26 X 180 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p>	Number	250.0000																

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 7

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																											
	<table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>250.0000</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> </thead> <tbody> <tr> <td colspan="2">Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	250.0000	परीक्षण प्रमाणपत्र Test Certificate		Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.							
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																													
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																													
2	Bolt, Nut and washer shall be supplied in assembled condition																													
3	Property class shall be mentioned on the head of the bolts																													
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																													
वितरण अनुसूची Delivery Schedule																														
Delivery Type	Period From PO Date (Days)	Quantity																												
Bulk	0 to 60	250.0000																												
परीक्षण प्रमाणपत्र Test Certificate																														
Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.																														
14	<table border="1"> <thead> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> </thead> <tbody> <tr> <td colspan="2">91 505 0026 : M 28 X 145 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>100.0000</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> </thead> <tbody> <tr> <td colspan="2">Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</td> </tr> </tbody> </table>	विनिर्देश Specification		91 505 0026 : M 28 X 145 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	100.0000	परीक्षण प्रमाणपत्र Test Certificate		Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.		Number	100.0000
विनिर्देश Specification																														
91 505 0026 : M 28 X 145 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8																														
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																													
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																													
2	Bolt, Nut and washer shall be supplied in assembled condition																													
3	Property class shall be mentioned on the head of the bolts																													
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																													
वितरण अनुसूची Delivery Schedule																														
Delivery Type	Period From PO Date (Days)	Quantity																												
Bulk	0 to 60	100.0000																												
परीक्षण प्रमाणपत्र Test Certificate																														
Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.																														
15	<table border="1"> <thead> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> </thead> <tbody> <tr> <td colspan="2">91 505 0027 : M 30 X 160 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> </tbody> </table>	विनिर्देश Specification		91 505 0027 : M 30 X 160 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	Number	100.0000																			
विनिर्देश Specification																														
91 505 0027 : M 30 X 160 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8																														
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																													
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																													

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 8

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity
-------------------	------------------	--------------------	--------------------

2	Bolt, Nut and washer shall be supplied in assembled condition
3	Property class shall be mentioned on the head of the bolts
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.

**वितरण अनुसूची
Delivery Schedule**

Delivery Type	Period From PO Date (Days)	Quantity
Bulk	0 to 60	100.0000

**परीक्षण प्रमाणपत्र
Test Certificate**

Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.

16	विनिर्देश Specification	Number	100.0000
	91 505 0028 : M 30 X 175 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8		

क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).
2	Bolt, Nut and washer shall be supplied in assembled condition
3	Property class shall be mentioned on the head of the bolts
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.

**वितरण अनुसूची
Delivery Schedule**

Delivery Type	Period From PO Date (Days)	Quantity
Bulk	0 to 60	100.0000

**परीक्षण प्रमाणपत्र
Test Certificate**

Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.

17	विनिर्देश Specification	Number	800.0000
	91 505 0029 : M 30 X 200 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8		

क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).
2	Bolt, Nut and washer shall be supplied in assembled condition
3	Property class shall be mentioned on the head of the bolts
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01) दिनांक/DATE :28/12/2018 पृष्ठ /Page - 9

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
	<p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>800.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	800.0000												
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	800.0000																	
18	<p align="center">विनिर्देश Specification</p> <p>91 505 0030 : M 30 X 220 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>50.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	50.0000	Number	50.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	50.0000																	
19	<p align="center">विनिर्देश Specification</p> <p>91 505 0031 : M 32 X 190 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>60.0000</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	60.0000	Number	60.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	60.0000																	

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01) दिनांक/DATE :28/12/2018 पृष्ठ /Page - 10

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																
	<table border="1"> <tr> <td>Bulk</td> <td>0 to 60</td> <td>60.0000</td> </tr> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	Bulk	0 to 60	60.0000															
Bulk	0 to 60	60.0000																	
20	<p align="center">विनिर्देश Specification</p> <p>91 505 0032 : M 36 X 210 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>70.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	70.0000	Number	70.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	70.0000																	
21	<p align="center">विनिर्देश Specification</p> <p>91 505 0033 : M 27 X 160 Fully Threaded Bolt and Nut with Two Washer, Grade 8.8</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).</td> </tr> <tr> <td>2</td> <td>Bolt, Nut and washer shall be supplied in assembled condition</td> </tr> <tr> <td>3</td> <td>Property class shall be mentioned on the head of the bolts</td> </tr> <tr> <td>4</td> <td>The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 60</td> <td>200.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).	2	Bolt, Nut and washer shall be supplied in assembled condition	3	Property class shall be mentioned on the head of the bolts	4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 60	200.0000	Number	200.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																		
1	The name of the brand and grade of the bolt and nut shall be clearly embossed as per IS:1367-Part-18(2002).																		
2	Bolt, Nut and washer shall be supplied in assembled condition																		
3	Property class shall be mentioned on the head of the bolts																		
4	The Bolt and Nut shall confirm to IS 1364 with mechanical property grade 8.8 & standard pitch confirming to IS 1367.																		
Delivery Type	Period From PO Date (Days)	Quantity																	
Bulk	0 to 60	200.0000																	



NLC TAMILNADU POWER LIMITED
[A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
Fax: 0461-2352480
Email:ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/18-19/000434/C&P01(01)

दिनांक/DATE
:28/12/2018

पृष्ठ /Page - 11

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity
	<p>Original Material Test Certificate for chemical composition from Govt. Lab (or) Govt Approved lab (or) NABL (or) NABL Accredited lab (or) from Manufacturer is to be furnished along with the supply of material at free of cost.</p>		

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL