



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/19-20/000094/C&P01(01) दिनांक/DATE :07/05/2019 पृष्ठ /Page - 1

Due Date of Cover-I Opening : 28/05/2019 15:00:00 hrs. IST (Check NTPL eproc website for any change in due date of opening.)
Note : Quotation should be valid for 60 days from the date of opening.

Gentlemen,
 We shall be glad to receive your lowest online offer submitted through <http://eproc.ntplpower.com> for the material mentioned below, subject to our terms and conditions. Any other mode of offer will be rejected. Please indicate the enquiry number in all future correspondence. Offer details of the participating bidders will be available online after the tender is opened.

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity										
1	<p align="center">विनिर्देश Specification</p> <p>31 022 0118 : Acid & Alkali proof rubber hand gloves of size 16 inches.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Acid alkali proofrubber hand gloves are three times more puncture resistant than rubber & can be used to offer superior resistance to various types of chemicals as per ISI standard.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Acid alkali proofrubber hand gloves are three times more puncture resistant than rubber & can be used to offer superior resistance to various types of chemicals as per ISI standard.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000	Pair	5.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	Acid alkali proofrubber hand gloves are three times more puncture resistant than rubber & can be used to offer superior resistance to various types of chemicals as per ISI standard.												
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	5.0000											
2	<p align="center">विनिर्देश Specification</p> <p>31 022 0133 : Welder's leather hand gloves of Size : 350mm long and as per the technical factor.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000	Pair	5.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard												
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	5.0000											
3	<p align="center">विनिर्देश Specification</p> <p>31 022 0134 : Welder's leather hand gloves of Size : 400mm long and as per the technical factor.</p>	Pair	5.0000										

एनटीपीएल स्टोर्स टुटिकोरिन में आपके प्रस्ताव को दरवाजा डिलीवरी आधार पर होना चाहिए।
 YOUR OFFER SHOULD BE ON DOOR DELIVERY BASIS AT NTPL STORES TUTICORIN
 निरीक्षण बंध /Inspection Clause : Inspection at Tuticorin
 गारंटी की आवश्यकताएँ /Guarantee Requirement : General Guarantee for Warranty as per NTPL format Warranty Period: 12 months from the date of commissioning or 18 months from the date of receipt of material, whichever is earlier.

Basis of Evaluation : Item-wise.

संलग्नक Terms and Conditions of Enquiry
 Attachments :



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/19-20/000094/C&P01(01)

दिनांक/DATE
:07/05/2019

पृष्ठ /Page - 2

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																					
	<table border="1"> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard</td> </tr> </table> <table border="1"> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000										
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																							
1	Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard																							
वितरण अनुसूची Delivery Schedule																								
Delivery Type	Period From PO Date (Days)	Quantity																						
Bulk	0 to 45	5.0000																						
4	<table border="1"> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> <tr> <td colspan="2">31 022 0135 : Welder's leather hand gloves of Size : 450mm long and as per the technical factor.</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard</td> </tr> </table> <table border="1"> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </table>	विनिर्देश Specification		31 022 0135 : Welder's leather hand gloves of Size : 450mm long and as per the technical factor.		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000	Pair	5.0000				
विनिर्देश Specification																								
31 022 0135 : Welder's leather hand gloves of Size : 450mm long and as per the technical factor.																								
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																							
1	Water-repellent, heat resistant cowhide split leather. Lined with fire resistant brushed jersey as per ISI standard																							
वितरण अनुसूची Delivery Schedule																								
Delivery Type	Period From PO Date (Days)	Quantity																						
Bulk	0 to 45	5.0000																						
5	<table border="1"> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> <tr> <td colspan="2">31 022 0194 : Fireman hand gloves made from water repellent leather - plated cotton kevlar knitted lining with self adhesive band for fastening - protect against fire - heat - cut and water .Asper EN659 with CE mark Length 40 cm</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Fireman gloves as per NFPA standard.</td> </tr> </table> <table border="1"> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>Bulk</td> <td>0 to 45</td> <td>10.0000</td> </tr> </table> <table border="1"> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> <tr> <td colspan="2">Fireman gloves as per NFPA standard and EN659</td> </tr> </table>	विनिर्देश Specification		31 022 0194 : Fireman hand gloves made from water repellent leather - plated cotton kevlar knitted lining with self adhesive band for fastening - protect against fire - heat - cut and water .Asper EN659 with CE mark Length 40 cm		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Fireman gloves as per NFPA standard.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	10.0000	परीक्षण प्रमाणपत्र Test Certificate		Fireman gloves as per NFPA standard and EN659		Pair	10.0000
विनिर्देश Specification																								
31 022 0194 : Fireman hand gloves made from water repellent leather - plated cotton kevlar knitted lining with self adhesive band for fastening - protect against fire - heat - cut and water .Asper EN659 with CE mark Length 40 cm																								
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																							
1	Fireman gloves as per NFPA standard.																							
वितरण अनुसूची Delivery Schedule																								
Delivery Type	Period From PO Date (Days)	Quantity																						
Bulk	0 to 45	10.0000																						
परीक्षण प्रमाणपत्र Test Certificate																								
Fireman gloves as per NFPA standard and EN659																								
6	<table border="1"> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> </table>	विनिर्देश Specification		Pair	10.0000																			
विनिर्देश Specification																								

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
 U40102TN2005GOI058050
 GST NO.:
 33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/19-20/000094/C&P01(01)

दिनांक/DATE
 :07/05/2019

पृष्ठ /Page - 3

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity										
	<p>31 033 0002 : Electrical Hand gloves, EN Approved, Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings. Brand : ANY . Size : 10 Inch</p> <p>Max. working voltage 17000Volts : Class 2 : Length 36cm- Thickness- 2.3mm</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>EN Approved â Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber â smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>10.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>EN Approved As per EN-60903:1993 standard with CE markings.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	EN Approved â Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber â smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	10.0000		
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	EN Approved â Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber â smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings.												
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	10.0000											
7	<p align="center">विनिर्देश Specification</p> <p>31 999 0192 : 33KV ELECTRICAL SEAMLESS RUBBER GLOVES OF SIZE 355MM CONFORMING TO RELEVANT IS 4770.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>EN Approved â Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber â smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>10.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>EN Approved As per EN-60903:1993 standard with CE markings.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	EN Approved â Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber â smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	10.0000	Pair	10.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	EN Approved â Insulating gloves for working on electrical fittings. Made from 100% Ultra Pure Natural Rubber â smooth finish inside and outside- High dielectric characteristics. As per EN-60903:1993 standard with CE markings.												
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	10.0000											
8	<p align="center">विनिर्देश Specification</p> <p>31 999 0231 : PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH (OVERALL) OF SIZE : 62 INCH WITH STANDARD CHEST MEASUREMENT. WITH THREE PACKETS AND PRESSED BUTTONS OVERLAPED WITH ZIP AND KEVILER THREAD STITCHED, WITH HEAD CAP END FACE MASK ATTACHMENT NAVY BLUE.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)			Number	5.0000						
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.com, candp.ntpl@nclindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/19-20/000094/C&P01(01) दिनांक/DATE :07/05/2019 पृष्ठ /Page - 4

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity										
1	<p>. PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH OF 66 INCH AND 48 INCH AROUND CHEST, Navy Blue. Proban-Flame Retardant Boiler Suit In Full Length Of 66 Inch And 48 Inch Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc</p> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc</p>	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000						
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	5.0000											
9	<p align="center">विनिर्देश Specification</p> <p>31 999 0233 : STITCHED, WITH HEAD CAP END FACE MASK ATTACHMENT NAVY BLUE. PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH (OVERALL) OF SIZE : 54 INCH WITH STANDARD CHEST MEASUREMENT. WITH THREE PACKETS AND PRESSED BUTTONS OVERLAPED WITH ZIP AND KEVILER THREAD</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000	Number	5.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc												
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	5.0000											
10	<p align="center">विनिर्देश Specification</p> <p>31 999 0234 : PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH, OVERALL SIZE : 58 INCH WITHSTANDARD CHEST MEASUREMENT WITH 3 POCKETS AND PRESSED BUTTONS OVERLAPPED WITH ZIP AND KEVILER THREAD STICHED, WITH HEAD CAP END FACE MASK ATTACHMENT NAVY BLUE.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc	Number	5.0000						
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	PROBAN-FLAME RETARDANT BOILER SUIT IN FULL LENGTH Around Chest With Three Packets And Pressed Buttons Overlaped With Zip And Keviler Thread Stitched, With Head Cap End Face Mask Attachment, Navy Blue. Fabric weight 350GSM or 260GSM . EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTMf1959-05 for electrical arc												

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nlcindia.com, candp.ntpl@nlcindia.com

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/19-20/000094/C&P01(01)

दिनांक/DATE
:07/05/2019

पृष्ठ /Page - 5

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity										
	<p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>5.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>EN ISO 11612:2008(heat). EN ISO 11611 and NFPA 2112 and 70e.EN61482-1-2.ASTM F1959-05 for electrical arc</p>	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	5.0000						
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	5.0000											
11	<p align="center">विनिर्देश Specification</p> <p>31 999 0684 : Kevlar gloves - 14". Protect hand against heat, steam, sharp edges & abrasion. Designed for extra heat insulation.Stitched from Kevlar thread.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Kevlar Hand gloves for hot work- seamless, fine-gauge knits; nylon-lined string-knits; composite blend cut-resistance knits; leather palms for great abrasion resistance; palm-coated for good grip in oil; PVC-dotted for excellent grip for metal and glass; and many more combinations.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Bulk</td> <td>0 to 45</td> <td>10.0000</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Kevlar Hand gloves for hot work- seamless, fine-gauge knits; nylon-lined string-knits; composite blend cut-resistance knits; leather palms for great abrasion resistance; palm-coated for good grip in oil; PVC-dotted for excellent grip for metal and glass; and many more combinations.	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 45	10.0000	Number	10.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)												
1	Kevlar Hand gloves for hot work- seamless, fine-gauge knits; nylon-lined string-knits; composite blend cut-resistance knits; leather palms for great abrasion resistance; palm-coated for good grip in oil; PVC-dotted for excellent grip for metal and glass; and many more combinations.												
Delivery Type	Period From PO Date (Days)	Quantity											
Bulk	0 to 45	10.0000											