



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110007/CandP01(01) दिनांक/DATE :03/05/2021 पृष्ठ /Page - 1

Due Date of Cover-I Opening : 17/05/2021 15:00:00 hrs. IST (Check NTPL eproc website for any change in due date of opening.)
Note : Quotation should be valid for 120 days from the date of opening.

Gentlemen,
 We shall be glad to receive your lowest online offer submitted through <http://eproc.ntplpower.com> for the material mentioned below, subject to our terms and conditions. Any other mode of offer will be rejected. Please indicate the enquiry number in all future correspondence. Offer details of the participating bidders will be available online after the tender is opened.

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity														
1	<p align="center">विनिर्देश Specification</p> <p>910510248 : Hex bolt M39x3x245 of grade 8.8 thread length 85mm for bowl mill door conforming to IS 1364 and IS 1367.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>Bolt should be of grade 8.8</td> </tr> <tr> <td align="center">2</td> <td>Bolt thread length should be equal to 85mm.</td> </tr> <tr> <td align="center">3</td> <td>Hex bolt M39x3x245 of grade 8.8 thread length 85mm for bowl mill door conforming to IS 1364 and IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td align="center">0 to 90</td> <td align="center">200.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost either from the Laboratories approved by BIS (or) from the Laboratories accredited by NABL. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Bolt should be of grade 8.8	2	Bolt thread length should be equal to 85mm.	3	Hex bolt M39x3x245 of grade 8.8 thread length 85mm for bowl mill door conforming to IS 1364 and IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	200.0000	Number	200.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																
1	Bolt should be of grade 8.8																
2	Bolt thread length should be equal to 85mm.																
3	Hex bolt M39x3x245 of grade 8.8 thread length 85mm for bowl mill door conforming to IS 1364 and IS 1367.																
Delivery Type	Period From PO Date (Days)	Quantity															
SUPPLY WITHIN	0 to 90	200.0000															
2	<p align="center">विनिर्देश Specification</p> <p>910510249 : Hex bolt M39x3x110 of grade 8.8, thread length 80mm for bowl mill door conforming to IS 1364 and IS 1367.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>Bolt should be of grade 8.8</td> </tr> <tr> <td align="center">2</td> <td>Bolt thread length should be equal to 80mm.</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Bolt should be of grade 8.8	2	Bolt thread length should be equal to 80mm.	Number	400.0000								
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																
1	Bolt should be of grade 8.8																
2	Bolt thread length should be equal to 80mm.																

एनटीपीएल स्टोर्स टुटिकोरिन में आपके प्रस्ताव को दरवाजा डिलीवरी आधार पर होना चाहिए।
 YOUR OFFER SHOULD BE ON DOOR DELIVERY BASIS AT NTPL STORES TUTICORIN
 निरीक्षण बंध /Inspection Clause : Inspection at Tuticorin

Basis of Evaluation : Item-wise.

संलग्नक Terms and Conditions of Enquiry
 Attachments :



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110007/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 2

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity														
3	<p>Hex bolt M39x3x110 of grade 8.8, thread length 80mm for bowl mill door conforming to IS 1364 and IS 1367.</p> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>400.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost either from the Laboratories approved by BIS (or) from the Laboratories accredited by NABL. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier. null</p>	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	400.0000										
Delivery Type	Period From PO Date (Days)	Quantity															
SUPPLY WITHIN	0 to 90	400.0000															
3	<p align="center">विनिर्देश Specification</p> <p>910510250 : Hex bolt M39x3x95 of grade 8.8, thread length 80mm for bowl mill door conforming to IS 1364 and IS 1367.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Bolt should be of grade 8.8</td> </tr> <tr> <td>2</td> <td>Bolt thread length should be equal to 80mm.</td> </tr> <tr> <td>3</td> <td>Hex bolt M39x3x95 of grade 8.8, thread length 80mm for bowl mill door conforming to IS 1364 and IS 1367.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>200.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost either from the Laboratories approved by BIS (or) from the Laboratories accredited by NABL. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier. null</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Bolt should be of grade 8.8	2	Bolt thread length should be equal to 80mm.	3	Hex bolt M39x3x95 of grade 8.8, thread length 80mm for bowl mill door conforming to IS 1364 and IS 1367.	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	200.0000	Number	200.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																
1	Bolt should be of grade 8.8																
2	Bolt thread length should be equal to 80mm.																
3	Hex bolt M39x3x95 of grade 8.8, thread length 80mm for bowl mill door conforming to IS 1364 and IS 1367.																
Delivery Type	Period From PO Date (Days)	Quantity															
SUPPLY WITHIN	0 to 90	200.0000															
4	<p align="center">विनिर्देश Specification</p> <p>910510251 : Hex bolt M33x3.5x90 of grade 8.8, thread length 75mm for bowl mill door conforming to IS 1364 and IS 1367.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Bolt should be of grade 8.8</td> </tr> <tr> <td>2</td> <td>Bolt thread length should be equal to 75mm.</td> </tr> <tr> <td>3</td> <td>Hex bolt M33x3.5x90 of grade 8.8, thread length 75mm for bowl mill door conforming to IS 1364 and IS 1367.</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Bolt should be of grade 8.8	2	Bolt thread length should be equal to 75mm.	3	Hex bolt M33x3.5x90 of grade 8.8, thread length 75mm for bowl mill door conforming to IS 1364 and IS 1367.	Number	200.0000						
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																
1	Bolt should be of grade 8.8																
2	Bolt thread length should be equal to 75mm.																
3	Hex bolt M33x3.5x90 of grade 8.8, thread length 75mm for bowl mill door conforming to IS 1364 and IS 1367.																

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
[A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
Fax: 0461-2352480
Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110007/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 3

क्र.सं. Sl No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity						
	<p>वितरण अनुसूची Delivery Schedule</p> <table border="1"><thead><tr><th>Delivery Type</th><th>Period From PO Date (Days)</th><th>Quantity</th></tr></thead><tbody><tr><td>SUPPLY WITHIN</td><td>0 to 90</td><td>200.0000</td></tr></tbody></table>	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	200.0000		
Delivery Type	Period From PO Date (Days)	Quantity							
SUPPLY WITHIN	0 to 90	200.0000							
	<p>परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original Test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost either from the Laboratories approved by BIS (or) from the Laboratories accredited by NABL. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier. null</p>								

REVERSE AUCTION IS NOT APPLICABLE.

BIDDERS ARE ADVISED TO QUOTE THE MOST COMPETITIVE PRICE IN THE INITIAL BID AS WELL AS IN THE REVERSE AUCTION (RA), WHEREVER APPLICABLE, SINCE THERE WILL NOT BE POST TENDERING NEGOTIATIONS WITH THE L1 BIDDER UNDER ANY CIRCUMSTANCES.

Terms and Conditions offered by the bidder in the Techno Commercial bid alone will be considered for evaluation. Bidder's own Terms and Conditions indicated elsewhere will be ignored

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL