



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110008/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 1

Due Date of Cover-I Opening : 17/05/2021 15:00:00 hrs. IST (Check NTPL eproc website for any change in due date of opening.)
Note : Quotation should be valid for 120 days from the date of opening.

Gentlemen,
 We shall be glad to receive your lowest online offer submitted through <http://eproc.ntplpower.com> for the material mentioned below, subject to our terms and conditions. Any other mode of offer will be rejected. Please indicate the enquiry number in all future correspondence. Offer details of the participating bidders will be available online after the tender is opened.

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity												
1	<p align="center">विनिर्देश Specification</p> <p>910510148 : HEX HEAD SCREW M16X50</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Material description is amended as Hex Head Screw M16x50.</td> </tr> <tr> <td>2</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Hex head screw should be of grade 8.8/10.9.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>576.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Material description is amended as Hex Head Screw M16x50.	2	Make should be of TVS, UNBRAKO OR CAPARO. Hex head screw should be of grade 8.8/10.9.	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	576.0000	Number	576.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)														
1	Material description is amended as Hex Head Screw M16x50.														
2	Make should be of TVS, UNBRAKO OR CAPARO. Hex head screw should be of grade 8.8/10.9.														
Delivery Type	Period From PO Date (Days)	Quantity													
SUPPLY WITHIN	0 to 90	576.0000													
2	<p align="center">विनिर्देश Specification</p> <p>910510247 : HEX SCREW GR 10.9 M20X200 CONFORMING TO IS 1364.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Hex screw should be of grade 10.9</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>200.0000</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make should be of TVS, UNBRAKO OR CAPARO. Hex screw should be of grade 10.9	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	200.0000	Number	200.0000		
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)														
1	Make should be of TVS, UNBRAKO OR CAPARO. Hex screw should be of grade 10.9														
Delivery Type	Period From PO Date (Days)	Quantity													
SUPPLY WITHIN	0 to 90	200.0000													

एनटीपीएल स्टोर्स ट्युटोरिन में आपके प्रस्ताव को दरवाजा डिलीवरी आधार पर होना चाहिए।
 YOUR OFFER SHOULD BE ON DOOR DELIVERY BASIS AT NTPL STORES TUTICORIN
 निरीक्षण बंध /Inspection Clause : Inspection at Tuticorin

Basis of Evaluation : Item-wise.

संलग्नक
Attachments : Terms and Conditions of Enquiry



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110008/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 2

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity												
	<p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>														
3	<p align="center">विनिर्देश Specification</p> <p>910510252 : HEX SCREW GR 10.9 M24X180 CONFORMING TO IS 1364</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Hex Screw should be of grade 10.9.</td> </tr> <tr> <td>2</td> <td>Hex screw length should be of 175-180mm.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>200.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make should be of TVS, UNBRAKO OR CAPARO. Hex Screw should be of grade 10.9.	2	Hex screw length should be of 175-180mm.	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	200.0000	Number	200.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)														
1	Make should be of TVS, UNBRAKO OR CAPARO. Hex Screw should be of grade 10.9.														
2	Hex screw length should be of 175-180mm.														
Delivery Type	Period From PO Date (Days)	Quantity													
SUPPLY WITHIN	0 to 90	200.0000													
4	<p align="center">विनिर्देश Specification</p> <p>912130008 : WASHER PLAIN A22 for Axial Seals</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Plain washer suitable for M22.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>720.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Plain washer suitable for M22.	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	720.0000	Number	720.0000		
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)														
1	Plain washer suitable for M22.														
Delivery Type	Period From PO Date (Days)	Quantity													
SUPPLY WITHIN	0 to 90	720.0000													
5	<p align="center">विनिर्देश Specification</p> <p>912130009 : NUT HEX GR B 6 M20 for Axial Seals</p>	Number	720.0000												

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110008/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 3

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity																							
	<table border="1"> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Material description is amended as Nut Hex M20.</td> </tr> <tr> <td>2</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Nut should be of grade B6.</td> </tr> </table> <table border="1"> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>720.0000</td> </tr> </table> <table border="1"> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> <tr> <td colspan="2">Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</td> </tr> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Material description is amended as Nut Hex M20.	2	Make should be of TVS, UNBRAKO OR CAPARO. Nut should be of grade B6.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	720.0000	परीक्षण प्रमाणपत्र Test Certificate		Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.							
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																									
1	Material description is amended as Nut Hex M20.																									
2	Make should be of TVS, UNBRAKO OR CAPARO. Nut should be of grade B6.																									
वितरण अनुसूची Delivery Schedule																										
Delivery Type	Period From PO Date (Days)	Quantity																								
SUPPLY WITHIN	0 to 90	720.0000																								
परीक्षण प्रमाणपत्र Test Certificate																										
Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.																										
6	<table border="1"> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> <tr> <td colspan="2">912130010 : SCRUX HEX GR A8.8 M16X45 for Axial Seals</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Material description is amended as Hex screw M16x45.</td> </tr> <tr> <td>2</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Hex screw should be of grade 8.8/10.9.</td> </tr> </table> <table border="1"> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>640.0000</td> </tr> </table> <table border="1"> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> <tr> <td colspan="2">Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</td> </tr> </table>	विनिर्देश Specification		912130010 : SCRUX HEX GR A8.8 M16X45 for Axial Seals		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Material description is amended as Hex screw M16x45.	2	Make should be of TVS, UNBRAKO OR CAPARO. Hex screw should be of grade 8.8/10.9.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	640.0000	परीक्षण प्रमाणपत्र Test Certificate		Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.		Number	640.0000
विनिर्देश Specification																										
912130010 : SCRUX HEX GR A8.8 M16X45 for Axial Seals																										
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																									
1	Material description is amended as Hex screw M16x45.																									
2	Make should be of TVS, UNBRAKO OR CAPARO. Hex screw should be of grade 8.8/10.9.																									
वितरण अनुसूची Delivery Schedule																										
Delivery Type	Period From PO Date (Days)	Quantity																								
SUPPLY WITHIN	0 to 90	640.0000																								
परीक्षण प्रमाणपत्र Test Certificate																										
Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.																										
7	<table border="1"> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> <tr> <td colspan="2">912130031 : BOLT HEX GR A8.8 M16X60 for Radial Seals</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Material description is amended as BOLT HEX M16X60</td> </tr> <tr> <td>2</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Hex bolt should be of grade 8.8/10.9.</td> </tr> </table> <table border="1"> <tr> <th colspan="3">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>2304.0000</td> </tr> </table>	विनिर्देश Specification		912130031 : BOLT HEX GR A8.8 M16X60 for Radial Seals		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Material description is amended as BOLT HEX M16X60	2	Make should be of TVS, UNBRAKO OR CAPARO. Hex bolt should be of grade 8.8/10.9.	वितरण अनुसूची Delivery Schedule			Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	2304.0000	Number	2304.0000				
विनिर्देश Specification																										
912130031 : BOLT HEX GR A8.8 M16X60 for Radial Seals																										
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																									
1	Material description is amended as BOLT HEX M16X60																									
2	Make should be of TVS, UNBRAKO OR CAPARO. Hex bolt should be of grade 8.8/10.9.																									
वितरण अनुसूची Delivery Schedule																										
Delivery Type	Period From PO Date (Days)	Quantity																								
SUPPLY WITHIN	0 to 90	2304.0000																								



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110008/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 4

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity												
	<p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>														
8	<p align="center">विनिर्देश Specification</p> <p>912130032 : NUT HEX GR A 8 M16 for Radial Seals</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Material description is amended as Nut Hex M16.</td> </tr> <tr> <td>2</td> <td>Make should be of TVS, UNBRAKO OR CAPARO. Nut should be of grade 8/10.</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>3520.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Material description is amended as Nut Hex M16.	2	Make should be of TVS, UNBRAKO OR CAPARO. Nut should be of grade 8/10.	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	3520.0000	Number	3520.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)														
1	Material description is amended as Nut Hex M16.														
2	Make should be of TVS, UNBRAKO OR CAPARO. Nut should be of grade 8/10.														
Delivery Type	Period From PO Date (Days)	Quantity													
SUPPLY WITHIN	0 to 90	3520.0000													
9	<p align="center">विनिर्देश Specification</p> <p>912130033 : WASHER PLAIN A16 for Radial Seals</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Plain washer suitable for M16</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>SUPPLY WITHIN</td> <td>0 to 90</td> <td>5888.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Manufacturer's test Certificate, conforming grade (tensile strength and hardness) shall be furnished at free of cost. However, NTPL reserves the right to test the material supplied randomly, if required at any other Approved / Accredited Lab and the test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Plain washer suitable for M16	Delivery Type	Period From PO Date (Days)	Quantity	SUPPLY WITHIN	0 to 90	5888.0000	Number	5888.0000		
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)														
1	Plain washer suitable for M16														
Delivery Type	Period From PO Date (Days)	Quantity													
SUPPLY WITHIN	0 to 90	5888.0000													

REVERSE AUCTION IS NOT APPLICABLE.

BIDDERS ARE ADVISED TO QUOTE THE MOST COMPETITIVE PRICE IN THE INITIAL BID AS WELL AS IN THE REVERSE AUCTION (RA), WHEREVER APPLICABLE, SINCE THERE WILL NOT BE POST TENDERING

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
[A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
Fax: 0461-2352480
Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110008/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 5

क्र.सं. Sl No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity
-------------------	------------------	--------------------	--------------------

NEGOTIATIONS WITH THE L1 BIDDER UNDER ANY CIRCUMSTANCES.

Terms and Conditions offered by the bidder in the Techno Commercial bid alone will be considered for evaluation. Bidder's own Terms and Conditions indicated elsewhere will be ignored