



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110009/CandP01(01) दिनांक/DATE :03/05/2021 पृष्ठ /Page - 1

Due Date of Cover-I Opening : 20/05/2021 15:00:00 hrs. IST (Check NTPL eproc website for any change in due date of opening.)
Note : Quotation should be valid for 120 days from the date of opening.

Gentlemen,
 We shall be glad to receive your lowest online offer submitted through <http://eproc.ntplpower.com> for the material mentioned below, subject to our terms and conditions. Any other mode of offer will be rejected. Please indicate the enquiry number in all future correspondence. Offer details of the participating bidders will be available online after the tender is opened.

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity														
1	<p align="center">विनिर्देश Specification</p> <p>290240017 : TRIPPLE SPUR GEAR CHAIN PULLEY BLOCK ,CAPACITY : 10 TONS, LIFT : 3 Mtrs. BODY MADE OUT OF PRESSED STEEL, LIGHT WEIGHT,ISI MARKED AND CONFIRMING TO IS : 3832/1985.</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER</td> </tr> <tr> <td align="center">2</td> <td>CAPACITY : 10 TONS, LIFT : 3 Mtrs</td> </tr> <tr> <td align="center">3</td> <td>As per Chain Block Tech Specification attached</td> </tr> </tbody> </table> <p align="center">वितरण अनुसूची Delivery Schedule</p> <table border="1"> <thead> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td align="center">Bulk</td> <td align="center">0 to 90</td> <td align="center">2.0000</td> </tr> </tbody> </table> <p align="center">परीक्षण प्रमाणपत्र Test Certificate</p> <p>Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.</p>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER	2	CAPACITY : 10 TONS, LIFT : 3 Mtrs	3	As per Chain Block Tech Specification attached	Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 90	2.0000	Number	2.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																
1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER																
2	CAPACITY : 10 TONS, LIFT : 3 Mtrs																
3	As per Chain Block Tech Specification attached																
Delivery Type	Period From PO Date (Days)	Quantity															
Bulk	0 to 90	2.0000															

2	<p align="center">विनिर्देश Specification</p> <p>290240045 : TRIPPLE SPUR GEAR HAND OPERATED CHAIN PULLEY BLOCK OF CAPACITY : 2 TONS, LIFT : 3 Mtrs, ISI MARKED</p> <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER</td> </tr> <tr> <td align="center">2</td> <td>CAPACITY : 2 TONS, LIFT : 3 Meters</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER	2	CAPACITY : 2 TONS, LIFT : 3 Meters	Number	4.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)								
1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER								
2	CAPACITY : 2 TONS, LIFT : 3 Meters								

एनटीपीएल स्टोर्स टुटिकोरिन में आपके प्रस्ताव को दरवाजा डिलीवरी आधार पर होना चाहिए।
 YOUR OFFER SHOULD BE ON DOOR DELIVERY BASIS AT NTPL STORES TUTICORIN
 निरीक्षण बंध /Inspection Clause : Inspection at Tuticorin
 गारंटी की आवश्यकताएँ /Guarantee Requirement : General Guarantee for Warranty as per NTPL format Warranty Period: 12 months from the date of commissioning or 18 months from the date of receipt of material, whichever is earlier.

Basis of Evaluation : Item-wise.

संलग्नक Terms and Conditions of Enquiry
 Attachments :



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) & TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate, Tuticorin-628004, Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email: ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110009/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 2

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity								
3	As per Chain Block Tech Specification attached										
वितरण अनुसूची Delivery Schedule											
	Delivery Type	Period From PO Date (Days)	Quantity								
	Bulk	0 to 90	4.0000								
परीक्षण प्रमाणपत्र Test Certificate											
Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.											
3	विनिर्देश Specification 290260002 : CHAIN PULLEY BLOCK 5MT CAP 4MTR LIFT <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER</td> </tr> <tr> <td>2</td> <td>Capacity 5 Tons and Lift 4 Meters</td> </tr> <tr> <td>3</td> <td>As per Chain Block Tech Specification attached</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER	2	Capacity 5 Tons and Lift 4 Meters	3	As per Chain Block Tech Specification attached	Number	4.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)										
1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER										
2	Capacity 5 Tons and Lift 4 Meters										
3	As per Chain Block Tech Specification attached										
वितरण अनुसूची Delivery Schedule											
	Delivery Type	Period From PO Date (Days)	Quantity								
	Bulk	0 to 90	4.0000								
परीक्षण प्रमाणपत्र Test Certificate											
Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.											
4	विनिर्देश Specification 299990921 : TRIPPLE SPUR GEAR CHAIN PULLEY BLOCK, CAPACITY: 1 TONS, LIFT: 5 Mtrs. BODY MADE OUT OF PRESSED STEEL, LIGHT WEIGHT, ISI MARKED AND CONFIRMING TO IS: 3832-2005 / LATEST. <table border="1"> <thead> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER</td> </tr> <tr> <td>2</td> <td>CAPACITY: 1 TONS, LIFT: 5 Meters</td> </tr> <tr> <td>3</td> <td>As per Chain Block Technical specification attached.</td> </tr> </tbody> </table>	क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER	2	CAPACITY: 1 TONS, LIFT: 5 Meters	3	As per Chain Block Technical specification attached.	Number	4.0000
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)										
1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER										
2	CAPACITY: 1 TONS, LIFT: 5 Meters										
3	As per Chain Block Technical specification attached.										

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL



NLC TAMILNADU POWER LIMITED
 [A JV between NLC India Ltd(formerly Neyveli Lignite Corporation Ltd) &TANGEDCO and subsidiary of NLC India Ltd]
Contracts & Purchase Division
Office of Chief Executive Officer
2x500 MW Thermal Power Plant,
Harbour Estate,Tuticorin-628004. Tamilnadu, India.

Phone: 0461-2352844, 2352840
 Fax: 0461-2352480
 Email:ceo.ntpl@nclindia.in, purchase.ntpl@nclindia.in

CIN:
U40102TN2005GOI058050
GST NO.:
33AACCN3238N1ZD

निविदा जाँच सं: /TENDER ENQUIRY NO :ENQ/NTPL/21-22/110009/CandP01(01)

दिनांक/DATE
:03/05/2021

पृष्ठ /Page - 3

क्र.सं. SI No.	विवरण Details	माप की इकाई UOM	मात्रा Quantity
-------------------	------------------	--------------------	--------------------

वितरण अनुसूची Delivery Schedule		
Delivery Type	Period From PO Date (Days)	Quantity
Bulk	0 to 90	4.0000
परीक्षण प्रमाणपत्र Test Certificate		
Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.		

5	<table border="1"> <tr> <th colspan="2">विनिर्देश Specification</th> </tr> <tr> <td colspan="2">299991106 : TRIPPLE SPUR GEAR CHAIN PULLEY BLOCK CAPACITY : 3TONES, LIFT : 5 METRES , BODY MADE OUT OF PRESSED STEEL, LIGHT WEIGHT, ISI MARKED AND CONFIRMING TO IS : 3832:2005.</td> </tr> <tr> <th>क्र.सं. SI No.</th> <th>तकनीकी कारक Technical Factor(s)</th> </tr> <tr> <td>1</td> <td>Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER</td> </tr> <tr> <td>2</td> <td>Capacity 3 Tons and Lift 5 Meters</td> </tr> <tr> <td>3</td> <td>As per Chain Block Technical specification attached.</td> </tr> <tr> <th colspan="2">वितरण अनुसूची Delivery Schedule</th> </tr> <tr> <th>Delivery Type</th> <th>Period From PO Date (Days)</th> <th>Quantity</th> </tr> <tr> <td>Bulk</td> <td>0 to 90</td> <td>4.0000</td> </tr> <tr> <th colspan="2">परीक्षण प्रमाणपत्र Test Certificate</th> </tr> <tr> <td colspan="2">Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.</td> </tr> </table>	विनिर्देश Specification		299991106 : TRIPPLE SPUR GEAR CHAIN PULLEY BLOCK CAPACITY : 3TONES, LIFT : 5 METRES , BODY MADE OUT OF PRESSED STEEL, LIGHT WEIGHT, ISI MARKED AND CONFIRMING TO IS : 3832:2005.		क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)	1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER	2	Capacity 3 Tons and Lift 5 Meters	3	As per Chain Block Technical specification attached.	वितरण अनुसूची Delivery Schedule		Delivery Type	Period From PO Date (Days)	Quantity	Bulk	0 to 90	4.0000	परीक्षण प्रमाणपत्र Test Certificate		Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.		Number	4.0000
विनिर्देश Specification																											
299991106 : TRIPPLE SPUR GEAR CHAIN PULLEY BLOCK CAPACITY : 3TONES, LIFT : 5 METRES , BODY MADE OUT OF PRESSED STEEL, LIGHT WEIGHT, ISI MARKED AND CONFIRMING TO IS : 3832:2005.																											
क्र.सं. SI No.	तकनीकी कारक Technical Factor(s)																										
1	Make: MAXPULL/INDEF/TRACTEL/INDOLIFT/KEPRO/STAHL/ ANKER																										
2	Capacity 3 Tons and Lift 5 Meters																										
3	As per Chain Block Technical specification attached.																										
वितरण अनुसूची Delivery Schedule																											
Delivery Type	Period From PO Date (Days)	Quantity																									
Bulk	0 to 90	4.0000																									
परीक्षण प्रमाणपत्र Test Certificate																											
Original manufacturer Test Certificate shall be furnished at free of cost basis either from the Laboratories approved by BIS or from the Laboratories accredited by NABL. The firm should furnish copy of the following documents from where the test certificate is produced: 1.Current valid approval/ accreditation certificate of the laboratories And 2.Scope of certification covering the performed tests on the supplied materials. However, NTPL reserves the right to test the material supplied randomly, if required at CARD(Testing Unit of NLCIL)/ MRT lab(NTPL) or any other approved/ accredited lab and test result will be binding on the supplier.																											

REVERSE AUCTION IS NOT APPLICABLE.

BIDDERS ARE ADVISED TO QUOTE THE MOST COMPETITIVE PRICE IN THE INITIAL BID AS WELL AS IN THE REVERSE AUCTION (RA), WHEREVER APPLICABLE, SINCE THERE WILL NOT BE POST TENDERING NEGOTIATIONS WITH THE L1 BIDDER UNDER ANY CIRCUMSTANCES.

Terms and Conditions offered by the bidder in the Techno Commercial bid alone will be considered for evaluation. Bidder's own Terms and Conditions indicated elsewhere will be ignored

मुख्य कार्यकारी अधिकारी के लिए - एनटीपीएल

For Chief Executive Officer- NTPL